


SCALE 1 : 4



NOTES:

1. ALUMINUM CONSTRUCTION
2. BUNA N SEALS
3. BOROSILICATE GLASS WITH REDLINE ON WHITE BACKGROUND
4. DUAL SCALE THERMOMETER, 50 °F TO 300 °F AND 10 °C TO 150 °C
5. 250 °F (121 °C) MAX TEMPERATURE
6. 125 PSI (.86MPa) MAX PRESSURE AT 150 °F AND NO CORROSION
7. RESERVOIR MUST BE DRAINED TO REMOVE DIAL THERMOMETER OR LOSS OF FLUID WILL OCCUR
8. DIMENSIONS IN [] ARE mm

ALL DIMENSIONS FOR REFERENCE ONLY

LDI Industries	
MANITOWOC, WI	HUNTLEY, IL
MATERIAL	SEE NOTES
FINISH	
CUST NO	-

	NAME	DATE
DRAWN BY	ASK	07/28/2014
CHECKED BY	ABC	9/18/2014
REVISED BY	-	-

THIS DOCUMENT CONTAINS INFORMATION PROPRIETARY TO LDI INDUSTRIES, INC. AND IS FURNISHED UPON THE EXPRESS CONDITION THAT THE INFORMATION CONTAINED HEREIN WILL NOT BE DISCLOSED TO ANY THIRD PARTY OR USED DIRECTLY OR INDIRECTLY IN ANY WAY DETRIMENTAL TO THE INTEREST OF LDI INDUSTRIES, INC.

TITLE:

GAGE_BMNT_THERM_10.00_AL_F_NBR

ECN NO

SIZE

A

DWG. NO.

G620-10-A-1_REF

REV

-

DO NOT SCALE DRAWING

SCALE: 1:3

WT(LB): 0.77

SHT 1 OF 1